


# THE INTERNATIONAL CAT ASSOCIATION CERTIFIED PEDIGREE

Name of Cat: Mandysbengals Aspen Printed: 4/25/2022  
 Date of Birth: 10/15/2021 Breed: Bengal (BG)  
 TICA Number: SBT 101521 032 Color: Seal Spotted Lynx (Tabby) Point  
 Eye Color: Blue Gender: Female Microchip: 982091065550999

**PARENTS**

**GRANDPARENTS**

**GREAT GRANDPARENTS**



Breeder: Kris Simpson /Amanda Simpson

Owner: Kris Simpson /Amanda Simpson

*Frances Cardona*  
 Executive Secretary

Aspen  
Registration: SBT 101521 032  
Breed: Bengal

Sample ID: FJVPLSF  
Test Date: 4/25/2022  
Optimal Selection - Feline

# DNA Test Report

## Owner Info

---

**First Name**

Kris

**Last Name**

Simpson

## Pet Info

---

**Registered Name**

Aspen

**Date of Birth**

10/15/2021

**Nickname (Call Name)**

Aspen

**Sample ID**

FJVPLSF

**Sex**

Female

**Registration**

SBT 101521 032

**Country of Origin**

CA

**Microchip ID**

982091065550999

**Owner Reported Breed**

Bengal

**Tattoo ID**

N/A

# DNA Test Report

## Genetic Diversity (Heterozygosity)

---

**Aspen's Percentage of Heterozygosity**

35%

Aspen's genome analysis shows an average level of genetic heterozygosity when compared with other Bengals.

**Typical Range for Bengals**

31 - 36%

# DNA Test Report

## Health Conditions Known in This Breed

Genetic Condition	Gene	Risk Variant	Copies	Result
Progressive Retinal Atrophy (Discovered in the Abyssinian)	CEP290	T>G	0	Clear
Progressive Retinal Atrophy (Discovered in the Bengal)	KIF3B	G>A	0	Clear
Pyruvate Kinase Deficiency	PKLR	G>A	0	Clear

## Other Conditions Tested

Genetic Condition	Gene	Risk Variant	Copies	Result
Acute Intermittent Porphyria (Variant 1)	HMBS	Deletion	0	Clear
Acute Intermittent Porphyria (Variant 2)	HMBS	G>A	0	Clear
Acute Intermittent Porphyria (Variant 3)	HMBS	Insertion	0	Clear
Acute Intermittent Porphyria (Variant 4)	HMBS	Deletion	0	Clear
Acute Intermittent Porphyria (Variant 5)	HMBS	G>A	0	Clear
Autoimmune Lymphoproliferative Syndrome	FASL	Insertion	0	Clear
Burmese Head Defect (Discovered in the Burmese)	ALX1	Deletion	0	Clear
Chediak-Higashi Syndrome (Discovered in the Persian)	LYST	Insertion	0	Clear
Congenital Adrenal Hyperplasia	CYP11B1	G>A	0	Clear
Congenital Erythropoietic Porphyria	UROS	G>A	0	Clear
Congenital Myasthenic Syndrome (Discovered in the Devon Rex and Sphynx)	COLQ	G>A	0	Clear
Cystinuria Type 1A	SCL3A1	C>T	0	Clear
Cystinuria Type B (Variant 1)	SCL7A9	C>T	0	Clear
Cystinuria Type B (Variant 2)	SCL7A9	G>A	0	Clear
Cystinuria Type B (Variant 3)	SCL7A9	T>A	0	Clear
Dihydropyrimidinase Deficiency	DPYS	G>A	0	Clear
Earfold and Osteochondrodysplasia (Discovered in the Scottish Fold)	TRPV4	G>T	0	Clear

# DNA Test Report

## Other Conditions Tested (continued)

Genetic Condition	Gene	Risk Variant	Copies	Result
Factor XII Deficiency (Variant 1)	F12	Deletion	0	Clear
Factor XII Deficiency (Variant 2)	F12	Deletion	0	Clear
Familial Episodic Hypokalemic Polymyopathy (Discovered in the Burmese)	WNK4	C>T	0	Clear
Glutaric Aciduria Type II	ETFDH	T>G	0	Clear
Glycogen Storage Disease (Discovered in the Norwegian Forest Cat)	GBE1	Insertion	0	Clear
GM1 Gangliosidosis	GLB1	G>C	0	Clear
GM2 Gangliosidosis	GM2A	Deletion	0	Clear
GM2 Gangliosidosis Type II (Discovered in Domestic Shorthair cats)	HEXB	Insertion	0	Clear
GM2 Gangliosidosis Type II (Discovered in Japanese domestic cats)	HEXB	C>T	0	Clear
GM2 Gangliosidosis Type II (Discovered in the Burmese)	HEXB	O>O	0	Clear
Hemophilia B (Variant 1)	F9	C>T	0	Clear
Hemophilia B (Variant 2)	F9	G>A	0	Clear
Hyperoxaluria Type II	GRHPR	G>A	0	Clear
Hypertrophic Cardiomyopathy (Discovered in the Maine Coon)	MYBPC	G>C	0	Clear
Hypertrophic Cardiomyopathy (Discovered in the Ragdoll)	MYBPC	C>T	0	Clear
Hypotrichosis (Discovered in the Birman)	FOXN1	Deletion	0	Clear
Lipoprotein Lipase Deficiency	LPL	G>A	0	Clear
MDR1 Medication Sensitivity	ABCB1	Deletion	0	Clear
Mucopolysaccharidosis Type I	IDUA	Deletion	0	Clear
Mucopolysaccharidosis Type VI	ARSB	T>C	0	Clear
Mucopolysaccharidosis Type VI Modifier	ARSB	G>A	0	Clear
Mucopolysaccharidosis Type VII (Variant 1)	GUSB	G>A	0	Clear

# DNA Test Report

## Other Conditions Tested (continued)

Genetic Condition	Gene	Risk Variant	Copies	Result
Mucopolysaccharidosis Type VII (Variant 2)	USB	C>T	0	Clear
Myotonia Congenita	CLCN1	G>T	0	Clear
Polycystic Kidney Disease (PKD)	PKD1	C>A	0	Clear
Progressive Retinal Atrophy (Discovered in the Persian)	AIPL1	C>T	0	Clear
Sphingomyelinosis (Variant 1)	NPC1	G>C	0	Clear
Sphingomyelinosis (Variant 2)	NPC2	G>A	0	Clear
Spinal Muscular Atrophy (Discovered in the Maine Coon)	LIX1	Deletion	0	Clear
Vitamin D-Dependent Rickets	CYP27B1	G>T	0	Clear

# DNA Test Report

## Blood Type

---

### Blood Type

A  
(Most common)

### Genotype

A/A

### Transfusion Risk

Moderate

Aspen has the most common blood type. She can be transfused with Type A blood.

### Breeding Risk

Low

If breeding, Aspen has a low risk of blood type incompatibility with nursing kittens.

### Variant Tested

### Description

### Copies

b variant 1

(Common b variant)

0

b variant 2

(Discovered in Turkish breeds)

0

b variant 3

(Discovered in Ragdolls)

0

c variant - Causes AB Blood Type

(Discovered in Ragdolls)

0

# DNA Test Report

## Coat Color

Genetic Trait	Gene	Variant	Copies	Result
Charcoal (Discovered in the Bengal)	ASIP	A <sup>Pb</sup>	0	No effect
Solid Color	ASIP	a	0	Banded hairs, tabby patterns likely
Gloving (Discovered in the Birman)	KIT	w <sup>g</sup>	0	No effect
Partial and Full White	KIT	W or w <sup>s</sup>	0	No effect
Amber (Discovered in the Norwegian Forest Cat)	MC1R	e	0	No effect
Russet (Discovered in the Burmese)	MC1R	e <sup>r</sup>	0	No effect
Dilution	MLPH	d	0	No effect
Albinism (Discovered in Oriental breeds)	TYR	c <sup>a</sup>	0	No effect
Colorpoint (Discovered in the Burmese)	TYR	c <sup>b</sup>	0	No effect
Colorpoint (Discovered in the Siamese)	TYR	c <sup>s</sup>	2	Siamese colorpoint pattern likely
Mocha (Discovered in the Burmese)	TYR	c <sup>m</sup>	0	No effect
Chocolate	TYRP	b	0	No effect
Cinnamon	TYRP	b <sup>l</sup>	0	No effect

## Coat Type

Genetic Trait	Gene	Variant	Copies	Result
Long Hair (Discovered in many breeds)	FGF5	M4	0	No effect
Long Hair (Discovered in the Norwegian Forest Cat)	FGF5	M2	0	No effect
Long Hair (Discovered in the Ragdoll and Maine Coon)	FGF5	M3	0	No effect
Long Hair (Discovered in the Ragdoll)	FGF5	M1	0	No effect
Lykoi Coat (Variant 1)	HR	hr <sup>Ca</sup>	0	No effect
Lykoi Coat (Variant 2)	HR	hr <sup>VA</sup>	0	No effect

# DNA Test Report

## Coat Type (continued)

Genetic Trait	Gene	Variant	Copies	Result
Hairlessness (Discovered in the Sphynx)	KRT71	re <sup>hr</sup>	0	No effect
Rexing (Discovered in the Devon Rex)	KRT71	re <sup>dr</sup>	0	No effect
Rexing (Discovered in the Cornish Rex and German Rex)	LPAR6	r	0	No effect
Glitter	Pending	gl	1	No effect

## Tail Length

Genetic Trait	Gene	Variant	Copies	Result
Short Tail (Variant 3)	HES7	jb	0	No effect
Short Tail (Variant 1)	T	C1199del	0	No effect
Short Tail (Variant 2)	T	T988del	0	No effect

## Extra Toes

Genetic Trait	Gene	Variant	Copies	Result
Polydactyly (Variant 1)	LIMBR1	HW	0	No effect
Polydactyly (Variant 2)	LIMBR1	UK1	0	No effect
Polydactyly (Variant 3)	LIMBR1	UK2	0	No effect

## LABORATORY REPORT #601074

Account: 3391	E-mail: marketlaneanimalhospital@gmail.com
Company: Market Lane Animal Hospital	Phone: 9058566770
Name:	Fax: 9058566493

<b>1</b>	<b>Animal ID:</b> Aspen <b>Owner:</b> Simpson <b>Breed:</b> Bengal		<b>Species:</b> Feline <b>Sex:</b> Female <b>Age:</b> 11 m
----------	--	--	--

**OP - Ova & Parasites**
**Parasitology**

Description	Result	Description	Result
Coccidia	None seen	Trichomonas	None seen
Oocysts	None seen	Eggs	None seen
Giardia	None seen	Worms	None seen
Cysts	None seen		

**Notes:**

If Ova and Parasite tests are negative and the animal still has diarrhea, we recommend doing the Canine Infectious Diarrhea Profile (DNA profile, code:CP18) or Feline Infectious Diarrhea Profile (DNA profile, code:FP16)



**Submission Date:** 2022-04-18  
**Report Date:** 2022-04-19

## LABORATORY REPORT #581927

Account: 3391	E-mail: marketlaneanimalhospital@gmail.com
Company: Market Lane Animal Hospital	Phone: 9058566770
Name:	Fax: 9058566493

<p><b>1</b> <b>Animal ID:</b> Aspen <b>Owner:</b> Simpson <b>Breed:</b> Bengal</p>	<p><b>Species:</b> Feline <b>Sex:</b> Female <b>Age:</b> 6m</p>
--	---

**OP - Ova & Parasites**

**Parasitology**

Description	Result	Description	Result
Coccidia	None seen	Trichomonas	None seen
Oocysts	None seen	Eggs	None seen
Giardia	None seen	Worms	None seen
Cysts	None seen		

**Notes:**

If Ova and Parasite tests are negative and the animal still has diarrhea, we recommend doing the Canine Infectious Diarrhea Profile (DNA profile, code:CP18) or Feline Infectious Diarrhea Profile (DNA profile, code:FP16)

## LABORATORY REPORT #572577

Account:	3391	E-mail:	marketlaneanimalhospital@gmail.com
Company:	Market Lane Animal Hospital	Phone:	9058566770
Name:		Fax:	9058566493

<b>1</b>	<b>Animal ID:</b> Aspen <b>Owner:</b> Simpson <b>Breed:</b> Bengal	<b>Species:</b> Feline <b>Sex:</b> Female <b>Age:</b> 16w
----------	--	---

### FP26E - FIV/FelV Profile (ELISA)

Sample	Description	Result	Flag	Ranges	Units
Blood	D341E - Feline Leukemia virus (ELISA)	Negative			
	D335E - Feline Immunodeficiency virus (ELISA)	Negative <sup>1</sup>			

### RESULT INTERPRETATIONS

1 - FIV Result Interpretation.

Negative result may indicate: no FIV infection or FIV infection but inadequate time for seroconversion. Cats with potential exposure that test negative should be retested at least 3 or 4 months later. Kittens tested prior to 6 months old should be tested after 6 months whether their first test was positive or negative.